

WL270

Quality water guaranteed.

The WL270 delivers superb quality water and satisfies the higher volume needs for chilled and hot water in larger offices and public places. It is specifically designed for use where reverse osmosis is preferred and has the added quality assurance of in-tank ultraviolet light sanitization. This high performance model guarantees quality water all day long.



Advanced Technology

The WL270 has three core technologies:

High Performance Filtration

This model is configured with four stage reverse osmosis filtration to handle the worst of water conditions. These processes remove 99% of water contaminants and chlorine to improve water taste and odor.

In-tank UV

An in-tank Ultra Violet light kills & reduces bacterial growth to guarantee fresh clean water.



BioCote® Anti-Microbial Protection

Plastic surfaces surrounding the dispensing area are infused with BioCote®.

*For more information visit www.biocote.com/home-us.

Good for the Earth

Waterlogic coolers have been shown to reduce carbon footprint by up to 55% compared to bottled water coolers. *

Bottleless water coolers reduce plastic bottle contribution to landfills.

The WL270 is ENERGY STAR certified

*PHS Waterlogic 2012. www.phswaterlogic.com/carbonreductionlabel.aspx



WL270 Features

- Choice of Reverse Osmosis or Carbon Filtration to fit local water conditions.
- Ultraviolet technology eliminates bacterial growth.
- Large water storage capacity for a constant supply of fresh water on demand.
- Gravity-fed storage tank providing additional stored water for the Reverse Osmosis system.
- Drip tray drainage for convenience.



Tested and Certified



Waterlogic International Limited reserves the right, in order to reflect continuous research and development, to amend or change specifications without prior notice. Waterlogic and the Waterlogic logo are registered trademarks in countries where the Group operates. Waterlogic International Limited is licensed to use BioCote, and BioCote logo which are registered trademarks of BioCote Ltd.

Visit us @ www.mirexsolutions.com

Water Options	Technical Features		
Cold water	Type available	Tower	
Hot water	Dimensions	15.5" (W) x 46" (H) x 14.5" (D)	
Ambient water	Dispense area height	9.0"	
	Weight	Tower: 80 LBS	
	Recommended filtration	Reverse Osmosis or 1 x Carbon Block (CBC)	
	Additional features	Three stage water level control Leak detection	
	Capacity	Header tank: 11 liters	Cold tank: 4 liters
	Compressor	110v / 60Hz compressor	
	Water temperatures	Cold: 41° F Hot: 178° F	
			Hot tank: 1.5 liters